

Train Coffee Table

Product Description

Elevate your office space with our cutting-edge Coffee Table , designed to cater to the needs of the modern professional. This stunning Coffee Table combines style, functionality, and convenience, making it the perfect addition to any office environment.

- Available over all dimension
- -W 600mm – L 600 mm-H 349 mm

Materials

1- wood

Option 1

Melamine MDF-E1 According to European standard EN 13986 Density EN 323 780 ± 5% Kg/m³ or chipboard Truciolare S5 (CARB FASE 2) Density EN 323 700 ± 7% Kg/m³ According to Italian national standards UNI U41101400, 18 mm thick, with PVC lipping (Medium Density Fiberboard).

All wood used have a quality certificate for low formaldehyde emission according to CATAS laboratories and FSC certificate.

Option 2

- **Medium-Density Fiberboard (MDF) - Raw / Melamine:**
MDF Thickness tolerances: Here the thickness expresses the total thickness of the raw Chip board and the coatings of both surfaces of the board.
Resistance to scratching: Does not include the pearlescent surface treatment. Color matching and surface texture: A slight deviation of color and / or surface texture according to Rating4 EN14323 between the test sample and Kastamonu reference sample. TOLERANCES ON NOMINAL DIMENSIONS*1-THICKNESS COMPARED TO RATED VALUES-THICKNESS t RELATIVE TO NOMINAL VALUE EN 14323 mm $t_{max} - t_{min} \leq 0,6$ LENGTH AND WIDTH EN 14323 mm ± 5 EDGE DAMAGE EN 14323 mm ≤ 10 SURFACE DEFECTS EN 14323 mm²/m² points ≤ 2 SURFACE DEFECTS EN 14323 mm/m² line ≤ 20 RESISTANCE TO SCRATCHING*2 EN 14323 N $\geq 1,5$ RESISTANCE TO CRACKING EN 14323 Rating ≥ 3 RESISTANCE TO STAINING EN 14323 Rating ≥ 3 RESISTANCE TO ABRASION EN 14323 Revolution Pattern Class 1 < 50

Plain Class 3A ≥ 150 EN 12460-3 mg /m²h E1 for $\leq 3,5$ E2 for $3,5 < \text{release} \leq 8$
FORMALDEHYDE RELEASE EN 717-1 mg/m³ air E1 for $\leq 0,124$ E2 for $\geq 0,124$

2-* Base *:

- Main Legs: 20 mm x 30 mm x 1.5 mm cold-rolled steel According to European standard EN 10204, welded construction.

Coating

- All metal parts coated with epoxy polyester, hybrid system for indoor applications.

Standards for powder coating according to:

Gloss capacity EN-ISO 2813

Impact test EN-ISO 6272

Bend test EN-ISO 1519

Cross cut test EN-ISO 2409

PSD: EN-ISO-13320

Film thickness EN-ISO 2360

All according to European and world standards. Or Nikel chrome

Assembly

The coffee table comes assembled.

Warranty

This product has a one-year limited warranty against manufacturer defects.

Certifications

ISO 9001:2015

Quality management systems —
Requirements

ISO 14001:2015



Environmental management systems —
Requirements with guidance for use

ISO 45001:2018

Occupational health and safety
management systems — Requirements
with guidance for use

